

Douglas County Transportation and Land Services

Inspection and Notification Requirements

DCC/EWMC 12.56.050

Douglas County shall be notified a minimum of three (3) working days prior to beginning construction. The applicant is responsible for scheduling a preconstruction conference with the county. Other jurisdictions, the applicant's engineer, the applicant's contractor, utility companies, subcontractors and other necessary parties to the project shall be present at the preconstruction conference. By signing below, the applicant is acknowledging that the inspections referenced on this document are required.

Date of Pre-Construction Conference: _____

Permit No: _____

Applicant: _____
Print

Signature

On all road construction by subdivision ordinance and work performed within the county right-of-way, inspection of the work will be done by the Applicant's engineer or his/her designees under the overall authority of the County Engineer. The applicant or the Applicant's Engineer shall notify the County Engineer's office at least one (1) working day in advance of the beginning of each required inspection. Failure to comply with inspection requirements may necessitate additional testing and certification as directed by the County Engineer (at developer's expense).

Documentation shall be provided to Douglas County as part of the Applicant Engineer's Certification. Unless otherwise instructed by the County Engineer, inspections will be performed by and certified by the Applicant's Engineer as follows:

Inspection #1: Temporary sedimentation and erosion control in accordance with accepted plans.

Inspection #2: Underground storm drainage, at the stage that trenching and placing of pipe are completed but prior to cover. If the scope of the project is such that there is more than one trenching, placing and covering required, each such sequence shall be inspected separately.

Inspection #3: Underground utilities within the right-of-way, including sewers and storm drainage, shall be inspected during backfilling for compliance with the standard specifications and the requirements of the utility permit issued in conformance with the Douglas County "Accommodation of Utilities Within County Road Right-of-Way."

Inspection #4: General roadway at the stage that the subgrade has been completed. If the scope of the project is such that the subgrade is completed in stages and is ready for surfacing materials, each such stage shall be inspected separately.

Inspection #5: General roadway at the stage that the gravel base has been placed and compacted and the curbing, if required, has been formed. If the scope of the project is such that the gravel base is completed in stages and is ready for additional surfacing materials, and the curbing, if required, has been formed for that section, each such stage shall be inspected separately.

Inspection #6: General roadway at the stage that crushed surfacing top course has been placed and compacted.

Inspection #7: General roadway, at the beginning of paving.

Inspection #8: Overall roadway, final, after paving, monument inspection, cleaning of drainage systems, and all necessary clean up.

Signature

Date

Engineer's Seal

Requests to modify the inspection sequence shall be made in writing to the County Engineer